



#### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Product form : Substance Name : L-Lactide

Trade name : Lumilact® L Polymer Grade

**PURALACT® B3** 

Chemical name : (3S-cis)-3,6-dimethyl-1,4-dioxane-2,5-dione

CAS-No. : 4511-42-6

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended use : Polymers

Restrictions on use : No additional information available

#### 1.3. Details of the supplier of the safety data sheet

TotalEnergies Corbion BV 70 Stadhuisplein Gorinchem 4203 NS The Netherlands T +31 183 695 695 - F +31 183 695 600 pla@totalenergies-corbion.com

#### 1.4. Emergency telephone number

**Emergency number** : +44 1865 407333 (CareChem24)

Operating hours 24 hours, 7 days a week

#### **SECTION 2: Hazards identification**

#### 2.1. Classification of the substance or mixture

Classification according to MOI notification B.E. 2555 (2012)

Serious eye damage/eye irritation, Category 2 H319

#### 2.2. Label elements

Labelling according to MOI notification B.E. 2555 (2012)

Hazard pictograms (GHS TH)



Signal word (GHS TH) : Warning

Hazard statements (GHS TH) H319 - Causes serious eye irritation

Precautionary statements (GHS TH) P264 - Wash hands, forearms and face thoroughly after handling.

P280 - Wear protective gloves/protective clothing/eye protection/face protection.

P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove

Reference number: TC00006

contact lenses, if present and easy to do. Continue rinsing.

P337+P313 - If eye irritation persists: Get medical advice/attention.

#### 2.3. Other hazards

Issue date: 1/23/2023 Version: 1.0

Other hazards which do not result in classification : Warning, Potential dust explosion hazard, Dust may form explosive mixture in air

TH - en



1/8

# Safety Data Sheet L-Lactide According to the MOI Notification B.E. 2555 (2012)



#### **SECTION 3: Composition/information on ingredients**

#### 3.1. Substances

 Name
 : L-Lactide

 CAS-No.
 : 4511-42-6

 EC-No.
 : 224-832-0

Chemical name : (3S-cis)-3,6-dimethyl-1,4-dioxane-2,5-dione

Name	Product identifier		Classification according to MOI notification B.E. 2555 (2012)
L-lactide	CAS-No.: 4511-42-6	> 98	Eye Irrit. 2, H319

Full text of H-statements: see section 16

#### 3.2. Mixtures

Not applicable

#### **SECTION 4: First aid measures**

#### 4.1. Description of first aid measures

First-aid measures general : Get medical advice/attention if you feel unwell.

First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing.

First-aid measures after skin contact : Wash skin with plenty of water.

First-aid measures after eye contact : Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy

to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.

First-aid measures after ingestion : Call a poison center or a doctor if you feel unwell.

#### 4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects after inhalation : Dust from this product may cause irritation to the respiratory tract.

Symptoms/effects after eye contact : Burning sensation. Itching. Redness. Tears.

#### 4.3. Indication of any immediate medical attention and special treatment needed

Other medical advice or treatment : Treat symptomatically.

#### **SECTION 5: Firefighting measures**

#### 5.1. Extinguishing media

Suitable extinguishing media : Water spray. Dry powder. Foam.

Unsuitable extinguishing media : Do not use a solid water stream as it may scatter and spread fire.

#### 5.2. Special hazards arising from the substance or mixture

Explosion hazard : Dust can form an explosive mixture with air.

General measures : No flames. Eliminate all sources of ignition.

Hazardous decomposition products in case of fire : Under fire conditions, hazardous fumes will be present: Carbon dioxide, Carbon monoxide.

#### 5.3. Advice for firefighters

Firefighting instructions : Evacuate personnel to a safe area. Use water spray or fog for cooling exposed containers.

Move containers from fire area if it can be done without personal risk. Prevent fire fighting

water from entering the environment.

TH - en

Protection during firefighting : Do not attempt to take action without suitable protective equipment. Self-contained

breathing apparatus. Complete protective clothing.

Reference number: TC00006 2/8

## Safety Data Sheet



#### According to the MOI Notification B.E. 2555 (2012)

#### **SECTION 6: Accidental release measures**

#### 6.1. Personal precautions, protective equipment and emergency procedures

: No flames. Eliminate all sources of ignition. General measures

6.1.1. For non-emergency personnel

Protective equipment : Wear recommended personal protective equipment.

**Emergency procedures** : Ventilate spillage area. Avoid contact with skin and eyes. Avoid dust formation. Do not touch

or walk on the spilled product. Evacuate unnecessary personnel. Do not breathe dust.

6.1.2. For emergency responders

Protective equipment : Do not attempt to take action without suitable protective equipment. For further information

refer to section 8: "Exposure controls/personal protection".

6.2. Environmental precautions

Avoid release to the environment.

6.3. Methods and material for containment and cleaning up

For containment : Stop leak without risks if possible. Avoid creating or spreading dust.

Methods for cleaning up Shovel or sweep up and put in a closed container for disposal. Avoid dust formation. Use non-sparking tools. Flush contaminated areas with plenty of water. Never return spills in

original containers for possible later re-use. Dispose of materials or solid residues at an authorized site.

#### **SECTION 7: Handling and storage**

#### 7.1. Precautions for safe handling

Additional hazards when processed : Dust may form flammable and explosive mixture with air.

Precautions for safe handling : Ensure good ventilation of the work station. Avoid contact with skin and eyes. Wear

personal protective equipment. Avoid dust formation. Handle under inert gas. Protect from

moisture.

Hygiene measures : Handle in accordance with good industrial hygiene and safety procedures. Do not eat, drink

or smoke when using this product. Always wash hands after handling the product. Avoid contact with skin, eyes and clothing. Use good housekeeping practices during storage, transfer, handling, to avoid excessive dust accumulation. Wash contaminated clothing

before reuse. Do not breathe dust.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Keep container tightly closed in a cool, well-ventilated place. Protect from moisture.

Storage area Store according to local legislation.

Incompatible materials : Water, humidity.

### **SECTION 8: Exposure controls/personal protection**

#### 8.1. Control parameters

No additional information available

#### **Exposure limit values for the other components**

No additional information available

#### 8.2. Exposure controls

No additional information available

#### 8.3. Appropriate engineering controls

Appropriate engineering controls : Ensure good ventilation of the work station. Assess the risk of potentially explosive atmospheres and the need for explosion-proof equipment.



Reference number: TC00006 3/8

### Safety Data Sheet actide





Hand protection : Protective gloves

Туре	Material	Permeation	Thickness (mm)	Penetration	Standard
Protective gloves	Butyl rubber	6 (> 480 minutes)	0.5		EN 374

Eye protection : Safety glasses with side shields

Туре	Field of application	Characteristics	Standard
Safety glasses with side shields	Dust		EN 166

Skin and body protection : Wear suitable protective clothing

Туре	Standard
Long sleeved protective clothing	

Respiratory protection No respiratory protection needed under normal use conditions. Where exposure through inhalation may occur from use, respiratory protection equipment is recommended

Device	Filter type	Condition	Standard
Dust mask	(FFP2)	Dust protection	EN 149
Half-face mask (DIN EN 140)	Type A/P2	Vapour protection	EN 140







: Avoid release to the environment. Environmental exposure controls

#### **SECTION 9: Physical and chemical properties**

: Solid Physical state Appearance : Flakes. Colour : White Odour : Odourless

: No additional information available Odour threshold : No additional information available Hq

Melting point, Freezing point : Melting point: 97 °C

Freezing point: Not applicable

Boiling point : 266 °C Flash point : 150 °C Auto-ignition temperature : Not applicable Flammability : Non flammable.

: Vapour pressure: 0.28 Pa (25°C) Vapour pressure Evaporation rate : No additional information available

Explosive limits : Not applicable

: Dust explosion hazard in air. Explosive properties

Minimum ignition energy : No data available Solubility : Water: 16.7 g/l at 20 °C

Organic solvent:16.7 g/100ml Toluene

TH - en

Density : Density: 0.8 g/cm3 Flakes

Relative density: 1.33 Solid

Relative density No additional information available

Viscosity, kinematic Not applicable Viscosity, dynamic : No data available Dust deflagration index 188 bar-m/s

Dust explosion category : St 1 - Weak explosion









According to the MOI Notification B.E. 2555 (2012)

#### **SECTION 10: Stability and reactivity**

Chemical stability : Stable under normal conditions.

Conditions to avoid : Protect from moisture. Avoid raising powdered materials into airborne dust, creating an

explosion hazard.

Hazardous decomposition products : Under normal conditions of storage and use, hazardous decomposition products should not

be produced.

Incompatible materials : Water, humidity.

Possibility of hazardous reactions : No dangerous reactions known under normal conditions of use. When mixed with air and

exposed to an ignition source, dust may burn in the open air or explode if confined.

Reactivity : The product is non-reactive under normal conditions of use, storage and transport.

#### **SECTION 11: Toxicological information**

#### 11.1. Information on hazard classes as defined in MOI notification B.E. 2555 (2012)

Acute toxicity (oral) : Not classified Acute toxicity (dermal) : Not classified Acute toxicity (inhalation) : Not classified

L-lactide (4511-42-6)		
LD50 oral rat	> 2000 mg/kg bodyweight (OECD 423 method)	
LD50 dermal rat	> 2000 mg/kg bodyweight (OECD 402 method)	
LC50 Inhalation - Rat	> 7.94 mg/l air (OECD 403 method)	

Skin corrosion/irritation : Not classified

Serious eye damage/irritation : Causes serious eye irritation.

Respiratory or skin sensitisation : Not classified : Not classified Germ cell mutagenicity : Not classified Carcinogenicity Reproductive toxicity : Not classified STOT-single exposure : Not classified STOT-repeated exposure : Not classified Aspiration hazard : Not classified

(3S-cis)-3,6-dimethyl-1,4-dioxane-2,5-dione (4511-42-6)		
Viscosity, kinematic Not applicable		
Density 0.8 g/cm³ Flakes		
L-lactide (4511-42-6)		
Animal studies and expert judgment for classification False		

#### **SECTION 12: Ecological information**

#### 12.1. Toxicity

: The product is not considered harmful to aquatic organisms nor to cause long-term adverse Ecology - general

effects in the environment.

Hazardous to the aquatic environment, short-term

(acute)

Hazardous to the aquatic environment, long-term

(chronic)

: Not classified

: Not classified

	L-I	la	cti	de	e (	45	51	1.	-4	2-	6)
г											


LC50 - Fish [1] 130 (130 - 320) mg/l





### Safety Data Sheet -Lactide

According to the MOI Notification B.E. 2555 (2012)



#### 12.2. Persistence and degradability

(3S-cis)-3,6-dimethyl-1,4-dioxane-2,5-dione (4511-42-6)	
Persistence and degradability	No additional information available

L-lactide (4511-42-6)	
Persistence and degradability	Readily biodegradable.

#### 12.3. Bioaccumulative potential

L-lactide (4511-42-6)	
Partition coefficient n-octanol/water (Log Kow)	0.4 (OECD 117 method)
Bioaccumulative potential	There is no bioaccumulation.

#### 12.4. Mobility in soil

(3S-cis)-3,6-dimethyl-1,4-dioxane-2,5-dione (4511-42-6)	
Mobility in soil	No additional information available

L-lactide (4511-42-6)	
Partition coefficient n-octanol/water (Log Kow)	0.4 (OECD 117 method)

#### 12.5. Other adverse effects

Ozone : Not classified

: No additional information available Other adverse effects

#### **SECTION 13: Disposal considerations**

#### 13.1. Waste treatment methods

Waste treatment methods : Dispose of contents/container in accordance with licensed collector's sorting instructions.

Product/Packaging disposal recommendations : Dispose in a safe manner in accordance with local/national regulations. Do not re-use

empty containers without proper cleaning or reconditioning.

#### **SECTION 14: Transport information**

IMDG	IATA	UNRTDG		
14.1. UN number				
Not regulated for transport				
Not applicable	Not applicable	Not applicable		
14.2. UN proper shipping name				
Not applicable	Not applicable	Not applicable		

Reference number: TC00006

## Safety Data Sheet L-Lactide



According to the MOI Notification B.E. 2555 (2012)

IMDG	IATA	UNRTDG
14.3. Transport hazard class(es)		
Not applicable	Not applicable	Not applicable
Not applicable	Not applicable	Not applicable
14.4. Packing group		
Not applicable	Not applicable	Not applicable
14.5. Environmental hazards		
Dangerous for the environment: No Marine pollutant: No	Dangerous for the environment: No	Dangerous for the environment: No
No supplementary information available		

#### 14.6. Special precautions for user

#### **UN RTDG**

No data available

#### **IMDG**

No data available

#### IATA

No data available

#### 14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

#### **SECTION 15: Regulatory information**

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

No additional information available

#### 15.2. International agreements

#### Regional legislation

Australia AICS : No Canada DSL No Canada NDSL Yes China IECSC No **EU EINECS** : Yes **EU NLP** : No Korea ECL : No **US TSCA Active** : Yes **US TSCA Inactive** : No

#### **SECTION 16: Other information**

Version : 1.0

Issue date : 23/01/2023

Abbreviations and acronyms : CAS-No. - Chemical Abstract Service number

IATA - International Air Transport Association

IMDG - International Maritime Dangerous Goods

LC50 - Median lethal concentration

LD50 - Median lethal dose

N.O.S. - Not Otherwise Specified

TH - en



Reference number: TC00006 7/8





NOAEL - No-Observed Adverse Effect Level NOEC - No-Observed Effect Concentration

OECD - Organisation for Economic Co-operation and Development

OEL - Occupational Exposure Limit

SDS - Safety Data Sheet

Training advice : Ensure staff are informed of and trained on the nature of exposure and basic actions to

minimise exposure. Training staff on good practice.

Full text of H-statements:	
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2
H319	Causes serious eye irritation

TotalEnergies Corbion Thailand (MOI Notification B.E. 2555 (Ministry of Interior))

© Copyright 2017 TotalEnergies Corbion BV. All rights reserved. No part of this publication may be copied, downloaded, reproduced, stored in a retrieval system or transmitted in any form by any means, electronic, mechanical photocopied, recorded or otherwise, without permission of the publisher. No representation or warranty is made as to the truth or accuracy of any data, information or opinions contained herein or as to their suitability for any purpose, condition or application. None of the data, information or opinions herein may be relied upon for any purpose or reason. TotalEnergies Corbion BV disclaims any liability, damages, losses or other consequences suffered or incurred in connection with the use of the data, information or opinions contained herein. In addition, nothing contained herein shall be construed as a recommendation to use any products in conflict with existing patents covering any material or its use. TOTAL is a trademark owned and registered by Total S.A., used under license by TotalEnergies Corbion BV. CORBION is a trademark owned and registered by CORBION N.V. used under license by TotalEnergies Corbion BV.



TH - en Reference number: TC00006 8/8