Safety Data Sheet Luminy PLA Neat resin

according to MOEL Public notice 2020-130 Issue date:16/03/2017 Revision date:03/02/2025

Supersedes: 31/10/2022



SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form : Substance

Name : Luminy PLA Neat resin

Luminy® Development Grade

Luminy® TGR1 Luminy® TGR2 Luminy® LX930 CS1 Luminy® L040

Luminy® LX975

This SDS covers Luminy® PLA L-grades with the suffix BMB

and RMB. : 618-575-7 : 9051-89-2 : 2003-3-2341

1.2. Recommended uses and restrictions

1.2.1. Recommended use : Plastics.

1.2.2. Restrictions on use : Pharmaceuticals, Medical device

1.3. Supplier information

- Manufacturer

EC-No.

CAS-No.

KECI-No.

Company : TotalEnergies Corbion BV

Address : (4203 NS) The Netherlands Gorinchem Stadhuisplein 70

Tel. : +31 183 695 695

Emergency telephone number : +44 1865 407333 (CareChem24)
Emergency information : Operating hours 24 hours, 7 days a week

E-mail : pla@totalenergies-corbion.com

SECTION 2 : Hazards identification

2.1. Classification of the substance or mixture

No data available

2.2. Label elements

2.2.1. Hazard pictograms (GHS KR)

Not applicable

2.2.2. Signal word (GHS KR)

Not applicable

2.2.3. Hazard statements (GHS KR)

Not applicable

2.2.4. Precautionary statements (GHS KR)

Not applicable

2.3. Hazards - Other hazards which do not result in classification - Hazard Risk

KR - en

Warning.



Reference number: TC00003 1/9



Potential dust explosion hazard. Dust may form explosive mixture in air

SECTION 3 : Composition/information on ingredients

Product form : Substance

;	Substance name	Other Names		Concentration (%)
	Polylactide resin		CAS-No.: 9051-89-2 KECI-No.: 2003-3-2341	99 – 100

No data available

SECTION 4 : First aid measures

4.1. First-aid measures after eye contact

- Rinse eyes with water as a precaution.

4.2. First-aid measures after skin contact

- Wash skin with plenty of water.

4.3. First-aid measures after inhalation

- Remove person to fresh air and keep comfortable for breathing.

4.4. First-aid measures after ingestion

- Call a poison center or a doctor if you feel unwell.

4.5. Other medical advice or treatment

- Treat symptomatically.

SECTION 5 : Firefighting measures

5.1. Suitable (and unsuitable) extinguishing media

- Suitable extinguishing media : Water spray,Dry powder,Foam.

- Unsuitable extinguishing media : Do not use a solid water stream as it may scatter and spread

fire.

5.2. Special hazards arising from the substance or mixture

- Fire hazard : No fire hazard.

- Explosion hazard : Dust may form explosive mixture in air.

5.3. Special protective equipment and precautions for fire-fighters

- Firefighting instructions : Evacuate personnel to a safe area, Use water spray or fog

for cooling exposed containers, Move containers from fire area if it can be done without personal risk, Prevent fire

fighting water from entering the environment.

Protection during firefighting
 Do not attempt to take action without suitable protective equipment, Self-contained breathing apparatus, Complete

KR - en Reference number: TC00003 2/9



according to MOEL Public notice 2020-130



protective clothing.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

- Wear recommended personal protective equipment.
- Evacuate unnecessary personnel.
- Ventilate spillage area.
- Avoid dust formation.
- Avoid contact with skin and eyes.
- Do not touch or walk on the spilled product.
- Do not breathe dust.
- Do not attempt to take action without suitable protective equipment.
- For further information refer to section 8: "Exposure controls/personal protection".
- Dispose of materials or solid residues at an authorized site.

6.2. Environmental precautions and protective procedures

- Avoid release to the environment.

6.3. Methods and material for containment and cleaning up

- Stop leak without risks if possible.
- Avoid creating or spreading dust.
- Avoid dust formation.
- Shovel or sweep up and put in a closed container for disposal.
- Flush contaminated areas with plenty of water.
- Use non-sparking tools.
- Never return spills in original containers for possible later re-use.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

- Handle under inert gas. Protect from moisture.
- Wear personal protective equipment.
- Avoid contact with skin and eyes.
- Ensure good ventilation of the work station.
- Keep only in original container.
- Do not handle until all safety precautions have been read and understood.
- Do not eat, drink or smoke when using this product.
- Always wash hands after handling the product.
- Use good housekeeping practices during storage, transfer, handling, to avoid excessive dust accumulation.
- Wash contaminated clothing before reuse.
- Avoid contact with skin, eyes and clothing.
- Do not breathe dust.
- Dust may form flammable and explosive mixture with air.
- Handling temperature : < 50 °C

7.2. Conditions for safe storage

- Keep container tightly closed in a cool, well-ventilated place.
- Protect from moisture.
- Water, humidity.
- Store according to local legislation.
- Store always product in container of same material as original container.
- Storage temperature < 50 °C

SECTION 8 : Exposure controls/personal protection

8.1. Occupational Exposure Limits



KR - en Reference number: TC00003 3/9

Safety Data Sheet Luminy PLA Neat resin according to MOEL Public notice 2020-130

Luminy PLA Neat resin (9051-89-2)

Polylactide resin (9051-89-2)

No additional information available

8.2. Appropriate engineering controls

Appropriate engineering controls

Environmental exposure controls Other information

- Ensure good ventilation of the work station, Assess the risk of potentially explosive atmospheres and the need for explosionproof equipment.
- Avoid release to the environment.
- Handle in accordance with good industrial hygiene and safety procedures, Always wash hands after handling the product, Do not eat, drink or smoke when using this product, Avoid contact with skin, eyes and clothing, Use good housekeeping practices during storage, transfer, handling, to avoid excessive dust accumulation, Wash contaminated clothing before reuse, Do not breathe dust.

8.3. Personal protection

Personal protective equipment:

Wear recommended personal protective equipment.

Hand protection:					
Protective gloves					Standard
Type Material		Permeation	Thickness (mm)	Penetration	
Protective gloves	Butyl rubber	6 (> 480 minutes)	0.5		EN 374
Eye protection:					

Safety glasses with side shields

Туре	Field of application	Characteristics	Standard
Safety glasses with side shields	Dust		EN 166

Skin and body protection:

Long sleeved protective clothing

Туре	Standard
Long sleeved protective clothing	

Respiratory protection:

No respiratory protection needed under normal use conditions. Where exposure through inhalation may occur from use, respiratory protection equipment is recommended

Device	Filter type	Condition	Standard
Dust mask	(FFP2)	Dust protection	EN 149

Personal protective equipment symbol(s):







SECTION 9: Physical and chemical properties

a. Appearance Physical state Colour

Solid.

Pellet.

White, Opaque.

b. Odour Odourless.

06/02/2025 **TotalEnergies** KR - en Reference number: TC00003 4/9





d. pH No data available

130 - 230 °C e. Melting / freezing point

f. Boiling point No data available

Not applicable g. Flash point

h. Evaporation rate No data available

i. Flammability (solid, gas) Non flammable.

j. Upper / lower flammability or explosive limits Not applicable

No data available k. Vapour pressure

I. Solubility No data available

m. Vapour density No data available

n. Specific gravity density No data available

o. Log Pow No data available

p. Auto-ignition temperature Not applicable

q. Decomposition temperature > 230 °C

r. Viscosity, kinematic Not applicable r. Viscosity, dynamic No data available s. Molecular mass No data available

SECTION 10: Stability and reactivity

10.1. Chemical stability and Possibility of hazardous reactions

- The product is non-reactive under normal conditions of use, storage and transport.
- Stable under normal conditions.
- No dangerous reactions known under normal conditions of use.
- Hazardous polymerisation: Will not occur.
- When mixed with air and exposed to an ignition source, dust may burn in the open air or explode if confined.

10.2. Conditions to avoid

- Above a temperature of: 230°C / 446 °F.
- Protect from moisture.
- Avoid raising powdered materials into airborne dust, creating an explosion hazard.

10.3. Incompatible materials

- Water, humidity.

10.4. Hazardous decomposition products

- Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological information



KR - en Reference number: TC00003 5/9

Safety Data Sheet Luminy PLA Neat resin



11.1. Information on exposure routes

Oral : Not classified
Skin and eyes contact : Not classified
Inhalation : Not classified

11.2. Health hazards information

Acute toxicity (oral):

Not classified

Acute toxicity (dermal):

Not classified

Acute toxicity (inhalation):

Not classified

Skin corrosion/irritation:

Not classified

Serious eye damage/irritation:

Not classified

Respiratory sensitization:

Not classified

Skin sensitization:

Not classified

Carcinogenicity:

Not classified

Mutagenicity:

Not classified

Reproductive toxicity:

Not classified

STOT-single exposure:

Not classified

STOT-repeated exposure:

Not classified

Aspiration hazard:

Not classified

Luminy PLA Neat resin (9051-89-2)		
	Viscosity, kinematic	Not applicable

Polylactide resin (9051-89-2)		
	Animal studies and expert judgment for classification	False

KR - en

SECTION 12: Ecological information

12.1. Ecotoxicity

Ecology - general

 The product is not considered harmful to aquatic organisms nor to cause long-term adverse effects in the environment.





Reference number: TC00003 6/9

Safety Data Sheet Luminy PLA Neat resin according to MOEL Public notice 2020-130



Hazardous to the aquatic environment, long-term

(chronic)

: Not classified

12.2. Persistence and degradability

Luminy PLA Neat resin (9051-89-2)	
Persistence and degradability	Hydrolyses in hot water. The hydrolysis product is readily biologically degradable. Compostable and biodegradable according to EN 13432, ASTM D6400 and ISO 17088. Decomposes in contact with (hot) water. The hydrolysis product is S-lactic acid which is readily biodegradable.

12.3. Bioaccumulative potential

No data available

12.4. Mobility in soil

No data available

12.5. Other adverse effects

Ozone Not classified

Other adverse effects No additional information available

SECTION 13 : Disposal considerations

13.1. Disposal method

Dispose in a safe manner in accordance with local/national regulations.

Dispose of contents/container in accordance with licensed collector's sorting instructions.

13.2. Disposal precaution

Dispose in a safe manner in accordance with local/national regulations.

Do not re-use empty containers without proper cleaning or reconditioning.

No data available

SECTION 14: Transport information

UN RTDG	ADR	IMDG	IATA	
14.1. UN number				
Not regulated for transport				
14.2. Proper Shipping Name				
Not applicable	Not applicable	Not applicable	Not applicable	
14.3. Transport hazard class(e	s)			
Not applicable	Not applicable	Not applicable	Not applicable	
Not applicable	Not applicable	Not applicable	Not applicable	
14.4. Packing group				
Not applicable	Not applicable	Not applicable	Not applicable	
14.5. Environmental hazards				
Dangerous for the environment :	Dangerous for the environment :	Dangerous for the environment :	Dangerous for the environment :	
No	No	No	No	
Marine pollutant : No				
No data available				

14.6. Special transport precautions

No data available

SECTION 15: Regulatory information



KR - en Reference number: TC00003 7/9





- Hazardous Substances Prohibited for Not applicable Manufacturing - Hazardous Substances Requiring Permission Not applicable - Threshold Limit Values Chemicals Not applicable - Hazardous Substances Below Permissible Not applicable Level - Hazardous Substances Subject to Working Not applicable **Environment Measurement** Not applicable

- Hazardous Substances Subject to Workers Requiring Health Examination

Not applicable - Hazardous Substances Subject to Control - Substance Subject to Submission of PSM Not applicable

15.2. Chemicals Control Act (CCA) / K-REACH

- Toxic Substances Not applicable - Prohibited Substances Not applicable Not applicable - Restricted Substances - Substances Requiring Preparation for Not applicable Accident - Priority Existing Chemical ('PEC') - subject to Not applicable registration - Substance subject to authorisation Not applicable

K-REACH inventories

No data available

15.3. Safety Control of Dangerous Substances Act

- Not applicable

15.4. Wastes Control Act

- Not applicable

15.5. Other Domestic and International Regulatory Information

Domestic

- Persistent Organic Pollutants(POPs) Control Not applicable - Ozone Depleting Substances(ODS) Not applicable

International

EU Regulatory Information

- EU restriction list (REACH Annex XVII) Not applicable

US Regulatory Information

Not applicable - CERCLA Section 103 (40CFR302.4) - EPCRA Section 302 (40CFR355.30) Not applicable - EPCRA Section 304 (40CFR355.40) Not applicable - EPCRA Section 313 (40CFR372.65) Not applicable

International agreements No data available

SECTION 16: Other information

16.1. Data sources No data available

16/03/2017 16.2. Issue date 16.3. Revision number and date 4.2, 03/02/2025

16.4. Other information This SDS covers Luminy® PLA L-grades with the suffix BMB and

Luminy® PLA BMB products are PLA grades where the principles of



KR - en Reference number: TC00003 8/9





mass balance have been applied with respect to Bonsucro chain-of-custody certification.

Luminy® PLA RMB products are PLA grades where the principles of mass balance have been applied to allocate the recycled PLA content in the products.

16.5. Indication of changes:

Trade name. Physical and chemical properties.

© Copyright 2025 TotalEnergies Corbion BV. All rights reserved. No part of this publication may be copied, downloaded, reproduced, stored in a retrieval system or transmitted in any form by any means, electronic, mechanical photocopied, recorded or otherwise, without permission of the publisher. No representation or warranty is made as to the truth or accuracy of any data, information or opinions contained herein or as to their suitability for any purpose, condition or application. None of the data, information or opinions herein may be relied upon for any purpose or reason. TotalEnergies Corbion BV disclaims any liability, damages, losses or other consequences suffered or incurred in connection with the use of the data, information or opinions contained herein. In addition, nothing contained herein shall be construed as a recommendation to use any products in conflict with existing patents covering any material or its use. TOTAL is a trademark owned and registered by Total S.A., used under license by TotalEnergies Corbion BV. CORBION is a trademark owned and registered by CORBION N.V. used under license by TotalEnergies Corbion BV.



KR - en Reference number: TC00003 9/9