

Safety Data Sheet

Luminy® FOAM 50F

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878
Revision date: 4/28/2026 Version: 1.0

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form : Substance
Trade name : Luminy® FOAM 50F
EC-No. : 618-575-7
CAS-No. : 9051-89-2
REACH registration No. : 01-2119489904-22-0002, 01-2121029453-60-0001 (monomer)
REACH authorisation exemptions : Exempted from REACH registration
Polymer

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Main use category : Industrial use
Use of the substance/mixture : Plastics
Foamed application

1.2.2. Uses advised against:

Restrictions on use : Pharmaceuticals, Medical device

1.3. Details of the supplier of the safety data sheet

Manufacturer

TotalEnergies Corbion BV
Stadhuisplein 70
4203 NS Gorinchem - The Netherlands
T +31 183 695 695
pla@totalenergies-corbion.com

1.4. Emergency telephone number

Emergency number : +44 1865 407333 (CareChem24)
Operating hours 24 hours, 7 days a week

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Not classified

Adverse physicochemical, human health and environmental effects

To our knowledge, this product does not present any particular risk, provided it is handled in accordance with good occupational hygiene and safety practice.

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

No labelling applicable

2.3. Other hazards

Other hazards which do not result in classification : Warning. Potential dust explosion hazard. Dust may form explosive mixture in air. The synthetic polymer microparticles supplied are subject to conditions laid down by entry 78 of Annex XVII to Regulation (EC) No 1907/2006 of the European Parliament and of the Council.

This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII

This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII

The substance is not included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605

Safety Data Sheet

Luminy® FOAM 50F

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

SECTION 3: Composition/information on ingredients

3.1. Substances

Substance type : Polymer
CAS-No. : 9051-89-2
EC-No. : 618-575-7

Name	Product identifier	Conc. (% w/w)	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Poly lactide resin	(CAS-No.) 9051-89-2 (EC-No.) 618-575-7	98 – 100	Not classified
Distillates (petroleum), hydrotreated light	(CAS-No.) 64742-47-8 (EC-No.) 265-149-8 (EC Index-No.) 649-422-00-2	≤ 0.2	Flam. Liq. 3, H226 Asp. Tox. 1, H304 Aquatic Chronic 2, H411

Full text of H- and EUH-statements: see section 16

3.2. Mixtures

Not applicable

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures general : If you feel unwell, seek medical advice.
First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing.
First-aid measures after skin contact : Wash skin with plenty of water.
First-aid measures after eye contact : Rinse eyes with water as a precaution.
First-aid measures after ingestion : Call a poison center or a doctor if you feel unwell.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects : None known. Non-hazardous substance.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media : Water spray. Foam. Dry powder.
Unsuitable extinguishing media : Do not use a solid water stream as it may scatter and spread fire.

5.2. Special hazards arising from the substance or mixture

Fire hazard : No fire hazard.
Explosion hazard : Dust may form explosive mixture in air.
Hazardous decomposition products in case of fire : Under fire conditions, hazardous fumes will be present: Carbon dioxide, Carbon monoxide, Acetaldehyde.

5.3. Advice for firefighters

Precautionary measures fire : This product is a Synthetic Polymer Microparticle (SPM). Discharge into the environment must be avoided. Collect contaminated extinguishing water separately and must not enter the sewage system. Run-off must undergo physico-chemical treatment prior to disposal.
Firefighting instructions : Evacuate personnel to a safe area. Use water spray or fog for cooling exposed containers. Move containers from fire area if it can be done without personal risk. Prevent fire fighting water from entering the environment.
Protection during firefighting : Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.

Safety Data Sheet

Luminy® FOAM 50F

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/873

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General measures : Notify authorities if product enters sewers or public waters. No flames, no sparks. Eliminate all sources of ignition.

6.1.1. For non-emergency personnel

Protective equipment : Wear recommended personal protective equipment.
Emergency procedures : Evacuate unnecessary personnel. Ventilate spillage area. Avoid dust formation. Avoid contact with skin and eyes. Do not touch or walk on the spilled product. Do not breathe dust.
Measures in case of dust release : No flames, no sparks. Eliminate all sources of ignition.

6.1.2. For emergency responders

Protective equipment : Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".
Emergency procedures : Evacuate unnecessary personnel. Stop leak if safe to do so.

6.2. Environmental precautions

This product is a Synthetic Polymer Microparticle (SPM). Discharge into the environment must be avoided. Notify authorities if product enters sewers or public waters.

6.3. Methods and material for containment and cleaning up

For containment : Stop leak without risks if possible. Avoid creating or spreading dust.
Methods for cleaning up : Minimise generation of dust. Use non-sparking tools. Use wet cleaning techniques or vacuum cleaners with HEPA H13 filters (or better) for removal of dust. Do not allow product to reach the sewage system. Never return spills in original containers for possible later re-use. Train personnel on the risks of leakage and proper cleanup procedures.
Other information : Dispose of materials or solid residues at an authorized site.

6.4. Reference to other sections

For further information refer to section 8: "Exposure controls/personal protection". For further information refer to section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Additional hazards when processed : Dust may form flammable and explosive mixture with air.
Precautions for safe handling : Handle under inert gas. Protect from moisture. Wear personal protective equipment. Avoid contact with skin and eyes. Clean up thoroughly after use. Ensure good ventilation of the work station. Keep only in original container. Use wet cleaning techniques or vacuum cleaners with HEPA H13 filters (or better) for removal of dust. Do not pour product down the drain.
Handling temperature : < 50 °C
Hygiene measures : Do not eat, drink or smoke when using this product. Always wash hands after handling the product. Use good housekeeping practices during storage, transfer, handling, to avoid excessive dust accumulation. Wash contaminated clothing before reuse. Avoid contact with skin, eyes and clothing. Do not breathe dust.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Keep container tightly closed in a cool, well-ventilated place. Protect from moisture.
Incompatible materials : Water, humidity.
Storage temperature : < 50 °C
Storage area : Store according to local legislation.
Packaging materials : Always store product in container of same material as original container.

7.3. Specific end use(s)

No additional information available

Safety Data Sheet

Luminy® FOAM 50F

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

8.1.1 National occupational exposure and biological limit values

No additional information available

8.1.2. Recommended monitoring procedures

No additional information available

8.1.3. Air contaminants formed

No additional information available

8.1.4. DNEL and PNEC

Additional information : Contains no substances with occupational exposure limits

8.1.5. Control banding

No additional information available

8.2. Exposure controls

8.2.1. Appropriate engineering controls

Appropriate engineering controls:

Ensure good ventilation of the work station. Assess the risk of potentially explosive atmospheres and the need for explosion-proof equipment. Minimise exposure using measures such as closed systems, dedicated facilities and suitable general/local exhaust ventilation. Filter exhaust air through a HEPA H13 filter (or better). Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure. Ensure that flushing water does not enter sewers or watercourses. Run-off must undergo physico-chemical treatment prior to disposal. Do not exceed the occupational exposure limits (OEL). Equip all water drainage points with filters or sieves to capture granules.

8.2.2. Personal protection equipment

Personal protective equipment:

Wear recommended personal protective equipment.

Personal protective equipment symbol(s):



8.2.2.1. Eye and face protection

Eye protection:			
Safety glasses with side shields			
Type	Field of application	Characteristics	Standard
Safety glasses with side shields	Dust		EN ISO 16321-1

8.2.2.2. Skin protection

Skin and body protection:	
Long sleeved protective clothing	
Type	Standard
Long sleeved protective clothing	EN ISO 13982

Hand protection:
Protective gloves

Safety Data Sheet

Luminy® FOAM 50F

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Type	Material	Permeation	Thickness (mm)	Penetration	Standard
Protective gloves	Butyl rubber	6 (> 480 minutes)	0.5		EN 374

8.2.2.3. Respiratory protection

Respiratory protection:			
No respiratory protection needed under normal use conditions. Where exposure through inhalation may occur from use, respiratory protection equipment is recommended			
Device	Filter type	Condition	Standard
Dust mask	(FFP2)	Dust protection	EN 149

8.2.2.4. Thermal hazards

No additional information available

8.2.3. Environmental exposure controls

Environmental exposure controls:

Avoid release to the environment.

Other information:

Handle in accordance with good industrial hygiene and safety procedures. Always wash hands after handling the product. Do not eat, drink or smoke when using this product. Avoid contact with skin, eyes and clothing. Use good housekeeping practices during storage, transfer, handling, to avoid excessive dust accumulation. Wash contaminated clothing before reuse. Do not breathe dust.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	: Solid
Colour	: White. Opaque.
Appearance	: Pellet.
Odour	: Odourless.
Odour threshold	: Not available
Melting point	: 130 – 230 °C
Freezing point	: Not applicable
Boiling point	: Not available
Flammability	: Non flammable
Lower explosion limit	: Not applicable
Upper explosion limit	: Not applicable
Flash point	: Not applicable
Auto-ignition temperature	: Not applicable
Decomposition temperature	: > 230 °C
pH	: Not available
pH solution	: Not available
Viscosity, kinematic	: Not applicable
Solubility	: insoluble in water.
Partition coefficient n-octanol/water (Log Kow)	: Not available
Vapour pressure	: Not available
Vapour pressure at 50°C	: Not available
Density	: 1.2 – 1.3 g/cm ³
Relative density	: Not available
Relative vapour density at 20°C	: Not applicable
Particle size	: Not available

Distillates (petroleum), hydrotreated light (64742-47-8)	
Boiling point	90 – 320 °C Atm. press.: 101,325 kPa
Flash point	29 – 70 °C Atm. press.: 101,325 kPa

Safety Data Sheet

Luminy® FOAM 50F

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Distillates (petroleum), hydrotreated light (64742-47-8)

Vapour pressure	1 – 3.7 kPa Temp.: 37,8 °C
-----------------	----------------------------

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use. Hazardous polymerisation: Will not occur. When mixed with air and exposed to an ignition source, dust may burn in the open air or explode if confined.

10.4. Conditions to avoid

Above a temperature of: 230°C / 446 °F. Protect from moisture. Avoid raising powdered materials into airborne dust, creating an explosion hazard.

10.5. Incompatible materials

Water, humidity.

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity (oral)	: Not classified
Acute toxicity (dermal)	: Not classified
Acute toxicity (inhalation)	: Not classified

Distillates (petroleum), hydrotreated light (64742-47-8)

LD50 oral rat	> 5000 mg/kg bodyweight Animal: rat, Guideline: EPA OTS 798.1175 (Acute Oral Toxicity), Guideline: OECD Guideline 420 (Acute Oral Toxicity - Fixed Dose Method)
LD50 oral	15000 mg/kg
LD50 dermal rabbit	> 2000 mg/kg bodyweight Animal: rabbit, Guideline: EPA OTS 798.1100 (Acute Dermal Toxicity), Guideline: OECD Guideline 402 (Acute Dermal Toxicity)
LC50 Inhalation - Rat	> 5.28 mg/l air Animal: rat, Guideline: OECD Guideline 403 (Acute Inhalation Toxicity), 95% CL: 0,42 -
ATE CLP (oral)	15000 mg/kg bodyweight

Skin corrosion/irritation	: Not classified
Serious eye damage/irritation	: Not classified
Respiratory or skin sensitisation	: Not classified
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
Reproductive toxicity	: Not classified

Safety Data Sheet

Luminy® FOAM 50F

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Distillates (petroleum), hydrotreated light (64742-47-8)

NOAEL (animal/male, F0/P)	≥ 3000 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD Guideline 415 [One-Generation Reproduction Toxicity Study (before 9 October 2017)]
---------------------------	---

STOT-single exposure : Not classified

STOT-repeated exposure : Not classified

Distillates (petroleum), hydrotreated light (64742-47-8)

NOAEL (oral, rat, 90 days)	750 mg/kg bodyweight Animal: rat, Animal sex: female, Guideline: OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity Study in Rodents)
NOAEL (dermal, rat/rabbit, 90 days)	≥ 495 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 411 (Subchronic Dermal Toxicity: 90-Day Study)

Aspiration hazard : Not classified

Luminy® FOAM 50F (9051-89-2)

Viscosity, kinematic	Not applicable
----------------------	----------------

11.2. Information on other hazards

11.2.1. Endocrine disrupting properties

Adverse health effects caused by endocrine disrupting properties : Contains no substances identified as having endocrine disrupting properties

11.2.2 Other information

SECTION 12: Ecological information

12.1. Toxicity

Ecology - general : The product is not considered harmful to aquatic organisms nor to cause long-term adverse effects in the environment. There are increasing concerns about the presence of microplastics in different environment compartments (such as water), and their potential effects on the environment, biodiversity, and human health.

Hazardous to the aquatic environment, short-term (acute) : Not classified

Hazardous to the aquatic environment, long-term (chronic) : Not classified

Distillates (petroleum), hydrotreated light (64742-47-8)

LC50 - Fish [1]	2.2 mg/l loading rate, OECD guideline 203
EC50 - Crustacea [1]	1.4 mg/l loading rate, guideline 202
EC50 72h - Algae [1]	3 mg/l loading rate, OECD guideline 201
NOEC chronic fish	0.098 ml/l PETROTOX, QSAR
NOEC chronic crustacea	0.48 ml/l loading rate, OECD guideline 211

12.2. Persistence and degradability

Luminy® FOAM 50F (9051-89-2)

Persistence and degradability	Hydrolyses in hot water. The hydrolysis product is readily biologically degradable. Compostable and biodegradable according to EN 13432, ASTM D6400 and ISO 17088. Decomposes in contact with (hot) water. The hydrolysis product is S-lactic acid which is readily biodegradable.
-------------------------------	--

Safety Data Sheet

Luminy® FOAM 50F

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Distillates (petroleum), hydrotreated light (64742-47-8)

Persistence and degradability : Inherently biodegradable.

12.3. Bioaccumulative potential

No additional information available

12.4. Mobility in soil

No additional information available

12.5. Results of PBT and vPvB assessment

Luminy® FOAM 50F (9051-89-2)

This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII

This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII

12.6. Endocrine disrupting properties

Adverse effects on the environment caused by endocrine disrupting properties : Contains no substances identified as having endocrine disrupting properties

12.7. Other adverse effects

No additional information available

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Regional waste regulation : Dispose in a safe manner in accordance with local/national regulations.
Waste treatment methods : Dispose of contents/container in accordance with licensed collector's sorting instructions. Store waste in properly labelled container. Use separate containers for recyclable waste and non-recyclable pellets, flakes and powder.
Sewage disposal recommendations : Disposal must be done according to official regulations. Do not pour product down the drain. Run-off must undergo physico-chemical treatment prior to disposal.
Product/Packaging disposal recommendations : Dispose in a safe manner in accordance with local/national regulations. Do not re-use empty containers without proper cleaning or reconditioning.
Ecological waste information : Avoid release to the environment.

SECTION 14: Transport information

In accordance with ADR / IMDG / IATA / ADN / RID

ADR	IMDG	IATA	ADN	RID
14.1. UN number or ID number				
Not regulated	Not regulated	Not regulated	Not regulated	Not regulated
14.2. UN proper shipping name				
Not regulated	Not regulated	Not regulated	Not regulated	Not regulated
14.3. Transport hazard class(es)				
Not regulated	Not regulated	Not regulated	Not regulated	Not regulated
14.4. Packing group				
Not regulated	Not regulated	Not regulated	Not regulated	Not regulated
14.5. Environmental hazards				
Not regulated	Not regulated	Not regulated	Not regulated	Not regulated

Safety Data Sheet

Luminy® FOAM 50F

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

No supplementary information available

14.6. Special precautions for user

Special transport precautions : Minimize airborne dust generation and prevent wind dispersal during loading and unloading, Use leak-proof containers for transporting waste. Clean transport vehicles after loading/unloading to prevent loss on public roads.

Overland transport

Not regulated

Transport by sea

Not regulated

Air transport

Not regulated

Inland waterway transport

Not regulated

Rail transport

Not regulated

14.7. Maritime transport in bulk according to IMO instruments

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU-Regulations

Other information, restriction and prohibition regulations : No registration number is given for this substance because it is a polymer exempted from registration according to the provisions of Article 2(9) of REACH. Assess the risk of potentially explosive atmospheres and the need for explosion-proof equipment. in accordance with ATEX directives.

REACH Annex XVII (Restriction List)

EU restriction list (REACH Annex XVII)		
Reference code	Applicable on	Entry title or description
3(a)	Distillates (petroleum), hydrotreated light	Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard classes 2.1 to 2.4, 2.6 and 2.7, 2.8 types A and B, 2.9, 2.10, 2.12, 2.13 categories 1 and 2, 2.14 categories 1 and 2, 2.15 types A to F
3(b)	Distillates (petroleum), hydrotreated light	Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard classes 3.1 to 3.6, 3.7 adverse effects on sexual function and fertility or on development, 3.8 effects other than narcotic effects, 3.9 and 3.10
3(c)	Distillates (petroleum), hydrotreated light	Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard class 4.1
78.	Luminy® FOAM 50F	Synthetic polymer microparticles according to the criteria for Annex XVII entry 78

REACH Annex XIV (Authorisation List)

Not listed on REACH Annex XIV (Authorisation List)

REACH Candidate List (SVHC)

Contains no substance(s) listed on the REACH Candidate List

PIC Regulation (Prior Informed Consent)

Contains no substance(s) listed on the PIC list (Regulation EU 649/2012 concerning the export and import of hazardous chemicals)

POP Regulation (Persistent Organic Pollutants)

Contains no substance(s) listed on the POP list (Regulation EU 2019/1021 on persistent organic pollutants)

Safety Data Sheet

Luminy® FOAM 50F

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Ozone Regulation (2024/590)

Not listed on the Ozone Depletion list (Regulation EU 2024/590)

Council Regulation (EC) for the control of dual-use items

Contains no substance subject to the COUNCIL REGULATION (EC) for the control of dual-use items

Explosives Precursors Regulation (EU 2019/1148)

Contains no substance(s) listed on the Explosives Precursors list (Regulation EU 2019/1148 on the marketing and use of explosives precursors)

Drug Precursors Regulation (EC 273/2004)

Contains no substance(s) listed on the Drug Precursors list (Regulation EC 273/2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances)

National regulations

Listed on the United States TSCA (Toxic Substances Control Act) inventory - Status: Active

Listed on the Canadian DSL (Domestic Substances List)

Listed introduction on Australian Industrial Chemicals Introduction Scheme (AICIS Inventory)

Listed on the Japanese ENCS (Existing & New Chemical Substances) inventory

Listed on IECSC (Inventory of Existing Chemical Substances Produced or Imported in China)

Listed on NZIoC (New Zealand Inventory of Chemicals)

Listed on KECL/KECI (Korean Existing Chemicals Inventory)

Listed on the TCSI (Taiwan Chemical Substance Inventory)

Listed on the NCI (Vietnam - National Chemical Inventory)

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

SECTION 16: Other information

Abbreviations and acronyms:	
ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road
ATE	Acute Toxicity Estimate
BCF	Bioconcentration factor
CLP	Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008
DNEL	Derived-No Effect Level
EC50	Median effective concentration
IARC	International Agency for Research on Cancer
IATA	International Air Transport Association
IMDG	International Maritime Dangerous Goods
LC50	Median lethal concentration
NOEC	No-Observed Effect Concentration
NOAEL	No-Observed Adverse Effect Level
OECD	Organisation for Economic Co-operation and Development
PNEC	Predicted No-Effect Concentration
PBT	Persistent Bioaccumulative Toxic
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals Regulation (EC) No 1907/2006
STP	Sewage treatment plant
SDS	Safety Data Sheet

Safety Data Sheet

Luminy® FOAM 50F

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

vPvB	Very Persistent and Very Bioaccumulative
------	--

- Training advice : Ensure staff are informed of and trained on the nature of exposure and basic actions to minimise exposure. Training staff on good practice.
- Other information : The synthetic polymer microparticles supplied are subject to conditions laid down by entry 78 of Annex XVII to Regulation (EC) No 1907/2006 of the European Parliament and of the Council.

Full text of H- and EUH-statements:	
Aquatic Chronic 2	Hazardous to the aquatic environment – Chronic Hazard, Category 2
Asp. Tox. 1	Aspiration hazard, Category 1
Flam. Liq. 3	Flammable liquids, Category 3
H226	Flammable liquid and vapour.
H304	May be fatal if swallowed and enters airways.
H411	Toxic to aquatic life with long lasting effects.

TotalEnergies Corbion SDS EU (REACH Annex II)

© Copyright 2026 TotalEnergies Corbion BV. All rights reserved. No part of this publication may be copied, downloaded, reproduced, stored in a retrieval system or transmitted in any form by any means, electronic, mechanical photocopied, recorded or otherwise, without permission of the publisher. No representation or warranty is made as to the truth or accuracy of any data, information or opinions contained herein or as to their suitability for any purpose, condition or application. None of the data, information or opinions herein may be relied upon for any purpose or reason. TotalEnergies Corbion BV disclaims any liability, damages, losses or other consequences suffered or incurred in connection with the use of the data, information or opinions contained herein. In addition, nothing contained herein shall be construed as a recommendation to use any products in conflict with existing patents covering any material or its use. TOTAL is a trademark owned and registered by Total S.A., used under license by TotalEnergies Corbion BV. CORBION is a trademark owned and registered by CORBION N.V. used under license by TotalEnergies Corbion BV